



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

Reports of States and yearly and monthly reports of cities of the United States.

CALIFORNIA—*Los Angeles*.—Month of February, 1899. Estimated population, 103,000. Total number of deaths, 170, including diphtheria, 3; enteric fever, 1; influenza, 2; smallpox, 9, and 34 from phthisis pulmonalis.

Sacramento.—Month of February, 1899. Estimated population, 30,000. Total number deaths, 46, including 4 from phthisis pulmonalis.

CONNECTICUT—*Hartford*.—Estimated population, 74,000. Total number of deaths, 98, including enteric fever, 3; measles, 2; la grippe, 6; whooping cough, 4, and 12 from phthisis pulmonalis.

ILLINOIS—*Springfield*.—Month of February, 1899. Estimated population, 35,000. Total number of deaths, 55, including diphtheria, 1; la grippe, 2; whooping cough, 2, and 8 from phthisis pulmonalis.

INDIANA—*Evansville*.—Month of February, 1899. Estimated population, 70,000. Total number of deaths, 132, including diphtheria, 2; enteric fever, 5; la grippe, 16, and 19 from phthisis pulmonalis.

IOWA—*Davenport*.—Month of February, 1899. Estimated population, 36,000. Total number of deaths, 36, including la grippe 3, and 4 from phthisis pulmonalis.

MASSACHUSETTS—*Newton*.—Month of February, 1899. Estimated population, 27,590. Total number of deaths, 43, including 3 from la grippe.

MICHIGAN—*Port Huron*.—Month of January, 1899. Estimated population, 20,000. Total number of deaths, 34, including diphtheria, 1; la grippe, 3, and 1 from phthisis pulmonalis.

MINNESOTA—*Duluth*.—Year ended December 31, 1898. Estimated population, 60,000. Total number of deaths, 567, including diphtheria, 1; enteric fever, 31; measles, 14; scarlet fever, 1; whooping cough, 4, and 65 from phthisis pulmonalis.

Month of January, 1899. Total number of deaths, 46, including enteric fever, 4; la grippe, 1, and 8 from phthisis pulmonalis.

MISSOURI—*St. Louis*.—Month of December, 1898. Estimated population, 623,000; white, 587,000; colored, 36,000. Total number of deaths, 1,121; white, 1,008; colored, 113, including diphtheria, 22; enteric fever, 10; scarlet fever, 2; whooping cough, 7; la grippe, 97; smallpox, 2, and 107 from phthisis pulmonalis.

NEW HAMPSHIRE—*Concord*.—Month of February, 1899. Estimated population, 18,000. Total number of deaths, 23, including enteric fever, 1; influenza, 3, and 2 from phthisis pulmonalis.

NEW JERSEY—*Hudson County*.—Month of January, 1899. Estimated population, 384,784. Total number of deaths, 592, including diphtheria, 18; enteric fever, 4; scarlet fever, 6; whooping cough, 4; la grippe, 21, and 69 from phthisis pulmonalis.

OHIO.—Reports to the State board of health from 66 localities having

an estimated aggregate population of 1,283,099, show 38 deaths from diphtheria, 23 from enteric fever, and 6 from scarlet fever.

Cleveland.—Month of February, 1899. Estimated population, 395,000. Total number of deaths, 485, including diphtheria, 10; enteric fever, 8; scarlet fever, 3; influenza, 20, and 18 from phthisis pulmonalis.

Toledo.—Month of February, 1899. Estimated population, 151,520. Total number of deaths, 183, including diphtheria, 13; enteric fever, 1; scarlet fever, 2; la grippe, 18; whooping cough, 4, and 9 from phthisis pulmonalis.

PENNSYLVANIA—*Beaver Falls.*—Month of January, 1899. Estimated population, 12,000. Total number of deaths 22, including enteric fever, 2; whooping cough, 1, and 2 from phthisis pulmonalis.

Month of February, 1899. Total number of deaths, 18, including whooping cough, 3, and 2 from phthisis pulmonalis.

Sunbury.—Year ended December 31, 1898. Census population, 5,930. Total number of deaths, 124, including enteric fever, 4; la grippe, 2, and 11 from phthisis pulmonalis.

RHODE ISLAND—*Newport.*—Month of February, 1899. Estimated population, 21,500. Total number of deaths, 32, including enteric fever, 1, and 4 from phthisis pulmonalis.

TENNESSEE—*Nashville.*—Month of February, 1899. Estimated population, 87,754; white, 54,595; colored, 33,159. Total number of deaths, 163, including diphtheria, 1; influenza, 12; enteric fever, 3, and 28 from phthisis pulmonalis.

VIRGINIA.—*Petersburg.*—Month ended February 26, 1899. Estimated population, 25,000; white, 12,000; colored, 13,000. Total number of deaths, 79, including diphtheria, 1; la grippe, 5, and 7 from phthisis pulmonalis.

WISCONSIN—*Superior.*—Month of February, 1899. Estimated population, 35,000. Total number of deaths, 15. No deaths from contagious disease.